

SHIMPO HANDHELD EXTRUDER

The Shimpo Hand Extruder ...

is the most complete, easy-to-use hand extruder on the market. It's perfect for ribbon handles, sculptural parts, and small shape runs for a thousand other uses. This extruder comes fully assembled, ready to use, and equipped with 14 solid dies. All parts are fully replaceable in case of damage or defect. It's easy to clean, too: all you need is warm water! You'll find many uses for this exceptionally rugged small extruder in your studio or classroom. Full instructions, parts list and adjustment tool included with the extruder.

- 9x2" aluminum barrel
- Quick-release end cap
- Comes with 14 standard dies.
- Hollow die center brace sold separately.
- 12:1 mechanical gearing for ease of use.

GEXS **Handheld Extruder** with 14 dies \$99.00
Includes 6 Shimpo dies + 8 Basic Shape dies

GEXEV **Everything Set** \$187.00
Includes Extruder, GEXHBB, 14 dies; GEXB1-8, GEX9, GEXN1-8, GEXC1-3, GEXR3-4.
Valued at \$220.00 if purchased separately

GEXEVB **Everything Plus Set** \$222.00
Includes Extruder, GEXHB, 22 dies; GEXB1-8, GEX9, GEXN1-8, GEXC1-3, GEXR3-4.
Valued at \$261.00 if purchased separately.



6 Shimpo bonus dies

Hollow Shapes

GEXH9 Large Round Hollow Tube \$7.00

GEXHBB Hollow Die Brace \$23.00

GEXHB Hollow Brace + 8 bonus dies \$64.00
2 circles, 2 squares, 1 triangle, 1 hexagon, 1 oval, & 1 rectangle.
(Retail value \$79 if purchased separately)



GEXH9
Hollow Round Tube

GEXHBB



GEXHB bonus dies

Basic Shapes - only available with extruder - not sold separately



8 Basic Shapes:

GEXB1 Small Round 1/4"
GEXB2 Medium Round 1/2"

GEXB3 Large Round 3/4"
GEXB4 Small Ribbon 1/8 X 3/4"
GEXB5 Large Ribbon 1/4 x 1-1/8"

GEXB6 Small Square 1/4"
GEXB7 Medium Square 1/2"
GEXB8 Large Square 3/4"



Portland Store: 756 NE Lombard St • Portland, OR 97211 • 503-283-1353

Eugene Store: 1471 Railroad Blvd #9 • Eugene, OR 97405 • 541-338-7654 • www.georgies.com

GEXS EXTRUDER DIES

Handle Ribbons



GEXN1..... 1-1/8 x 3/8"
GEXN2..... 7/8 x 3/8"

GEXN3..... 1-5/16 x 1/4"
GEXN4..... 1-7/16 x 3/8"

GEXN5..... 7/8 x 1/2"
GEXN6..... 1-1/16 x 3/8"

GEXN7..... 1-3/16 x 7/16"
GEXN8..... 1-1/16 x 3/8"

SINGLE DIES \$7.00 ea

GEXNS.....Handle Ribbon Set includes GEXN1-GEXN8 \$42.00

Solid Ropes



GEXR3..... 1-3/8"w
GEXR4..... 15/16"w

Solid Coils



GEXC1.....1-1/2 x 13/16"
GEXC2.....1-3/16 x 5/8"
GEXC3.....1-3/16 x 5/8"



Blank Extruder Dies can be custom cut into shapes to fit your designs. Either done by a professional, or do it yourself by drawing a shape with a sharpie and then use a drill and jewelers saw to cut out your shape. With 4 per package, you have a lot of options to make your designs the way you imagine!

SINGLE DIES \$7.00 ea

GEXB..... Blank Dies (set of 4).....\$10.00



Portland Store: 756 NE Lombard St • Portland, OR 97211 • 503-283-1353

Eugene Store: 1471 Railroad Blvd #9 • Eugene, OR 97405 • 541-338-7654 • www.georgies.com

Congratulations on your purchase of the Shimpo Handheld Extruder!


The Shimpo Extruder is the most complete, easy-to-use hand held extruder on the market. Your basic extruder comes assembled, ready to use, and equipped with 14 solid dies. All parts are fully replaceable in case of damage or defect. You'll find a complete parts list on the back of this sheet.

How to Load Your Extruder

1. Press "release" lever and hold down with thumb of one hand while pulling back on the T-shaped handle of the plunger shaft. The tamper is now fully up at the tip of the extruder barrel.
2. You may load clay from the top of the barrel or the bottom end cap, whichever you prefer.
3. You will find it easiest to load if you prepare a rough handrolled coil, approximately the width of the barrel, and drop it into the extruder through the die end of the barrel.
4. If the clay is very wet, you may add a small amount of oil on the inside of the tube to reduce drag and sticking.
5. Screw the end cap with the die onto the barrel. You are ready to extrude!

How to Use Your Extruder

1. ALL extruders require **SOFT** clay
2. Select the die shape desired and place it in the end cap (see Figure 1)
3. Load the extruder as described above.
4. Squeeze the easy-to-use handle until the plunger engages the clay. Continue to squeeze and your extrusion evacuates from the tube. Depending on the type and length of your desired extrusion, you may find it easiest to rest the end of the barrel parallel on a table and "lay out" the extrusion. Even though the handle is easy-squeeze, this method enables many users with smaller hands to get a better grip and give the gun a "two-fisted" squeeze.
5. All of the clay evacuates cleanly from the barrel of the extruder.
6. Reload, or change the dies and reload. Remember to press the release lever and pull back on the plunger shaft. As the tamper pulls back, the pressure is released and it will be easy to unscrew the end cap.



It's easy to clean
your Shimpo Extruder!
All you need is warm water!
Be sure that the inner end cap is tight.

How to Use Hollow Dies

1. Select your die shape. Hollow forms require 2-part dies, with both inner and outer shapes.
2. The bottom locking nut position can be adjusted with a wrench to desired height.
3. Snug the inner die up to the inner die stop.
4. Hand-tighten with wing nut or screw nut. Both are included and which one to use is your choice (see Figure 2). Note - if the hollow die's center part is smaller than the wing nut, use the screw nut instead to hold the center part in place.
5. **DO NOT OVERTIGHTEN** or mechanically tighten these fittings. Lock nuts secure the screw shaft in vertical position for even extrusions.
6. Load clay in the extruder
7. Slide hollow brace, loaded with inner die, into barrel.
8. Place outer die brace into end cap and screw on
9. Adjust position of inner die brace with Allen wrench, if necessary to conform to shape or orientation of outer die (so that corners line up with corners, unless you want them intentionally offset).
10. Simply squeeze the handle to extrude the clay. There is no need to apply undue or extreme pressure. Forcing too-firm clay through the extruder or using undue force can bend dies or even break the hollow die brace.



Portland Store: 756 NE Lombard St • Portland, OR 97211 • 503-283-1353

Eugene Store: 1471 Railroad Blvd #9 • Eugene, OR 97405 • 541-338-7654 • www.georgies.com

Handheld Extruder Parts List



H-EXTRD-TR03
Trigger Release



H-EXTRD-TRS04
Trigger Release Spring



H-EXTRD-GP05
Grip Plate



H-EXTRD-GPS09
Grip Plate Spring



H-EXTRD-M8HN23
M8 Hex Nut #23



H-EXTRD-M8HN25
M8 Hex Nut #25



RSSAA004010
Socket Head Cap Screw for
Hollow Die (M4 x 10 mm)



H-65-ALH
Allen Wrencg for Hollow Die
(3 mm)



H-EXTRD-NLN20
M6 Nylong Insert Lock Nut #20



H-EXTRD-WPD
Plastic Extruder Plate



H-EXTRD-BEC
Black End Cap



H-EXTRD-PULL
Plastic Plunger Pull



H-EXTRD-TMS
Threaded Metal Shaft (M8/M6)

Georgies
CERAMIC AND CLAY CO.